CERTIFIKAT

SC0625-15

Avstängningsventil Vexve och Naval för fjärrvärme- eller fjärrkylesystem

Innehavare/Utfärdat för

Vexve OY, Pajakatu 11 FI-38200 Sastamala, Finland

Tillverkare

Vexve Oy, Pajakatu 11 FI-38200 Sastamala, Finland och Vexve Oy, Riihenkalliontie 10, FI- 23801 Laitila, Finland

Produktnamn

Vexve och Naval

Produkbeskrivning

Avstängningsventiler i storlekar DN 10-DN 800 (reducerat genomlopp) och DN 15-DN 800 (fullt genomlopp) enligt sammanställning på bilaga till detta certifikat.

Intyg

Produkten beskriven ovan uppfyller kraven i SPs certifieringsregler för P-märkning av Avstängningsventiler i fjärrvärme- och fjärrkylesystem, SPCR 145 samt Svensk Fjärrvärmes dokument *Certifiering av avstängningsventiler, Program för provning och kontroll, D:210 (december 2009).*

Tillhörande handling

Underlag Vexve

- *"Vexve Steel ball valve installation, operation and maintenance manual", 4/2015*
- För datablad se bilaga

Underlag Naval

- *"Naval Steel ball valve installation, operation and maintenance manual", 8/2015*
- För datablad se bilaga

Märkning

Varje produkt som överensstämmer med den certifierade får förses med ett kvalitetsmärke, avbildat nedan till höger.

Provningsunderlag

Reducerat genomlopp: SP-rapport 5P04136-A daterad 2015-07-06
Fullt genomlopp: SP-rapport 5P04136-B daterad 2015-07-08

Giltighetstid

Detta certifikat är giltigt längst till och med den 30 juli 2020.

Övrigt

SP övervakar tillverkarens egenkontroll enligt avsnitt 4 och 5 i SPCR 145
Certifikatet utfärdades ursprungligen 30 juli 2015.

SP Sveriges Tekniska Forskningsinstitut
Certifiering

Lennart Aronsson

Anders Sjelvgren

SPCR 145
NR: SC0625-15

Svensk Fjärrvärme
D:210

SP Sveriges Tekniska Forskningsinstitut
Box 857, 501 15 Borås
Tfn: 010-516 50 00
E-post: info@sp.se
www.sp.se

Detta certifikat får endast återges i sin helhet, om inte SP i förväg skriftligen godkänt annat.

CERTIFIKAT

Bilaga

Produktnamn		Storlek	Datablad
Vexve	Naval		
100…	284 4..	DN10-800	Steel ball valves, reduced bore, welding-welding, EN (DIN)
100…/H	284 4..	DN10-32	Steel ball valves, reduced bore, welding-welding, high, EN (DIN)
100…/S	254 4..	DN20-200	Steel ball valves, reduced bore, welding-welding, strong, EN (DIN)
101…	284 00.	DN10-50	Steel ball valves, reduced bore, female threads-welding, EN (DIN)
101…/H	284 06.	DN10-32	Steel ball valves, reduced bore, female threads-welding, high, EN (DIN)
101…/G	284 02.	DN15-25	Steel ball valves, reduced bore, male threads and plug/welding, EN (DIN)
102…	284 15.	DN10-50	Steel ball valves, reduced bore, female threads-female threads, EN (DIN)
102…/H	284 16.	DN10-32	Steel ball valves, reduced bore, female threads-female threads, high, EN (DIN)
103…	285 5..	DN15-50	Steel ball valves, reduced bore, flange-flange, PN40, EN (DIN)
	285 5..	DN65-800	Steel ball valves, reduced bore, flange-flange, PN16, EN (DIN)
103…/25	285 5..	DN65-800	Steel ball valves, reduced bore, flange-flange, PN25, EN (DIN)
104…	284 4..	DN100-800	Steel ball valves, reduced bore with gears and actuators, welding-welding, EN (DIN)
104..1	285 5..	DN100-800	Steel ball valves, reduced bore with gears and actuators, flange-flange, PN16, EN (DIN)
104..1/25	285 5..	DN100-800	Steel ball valves, reduced bore with gears and actuators, flange-flange, PN25, EN (DIN)
105…	284 7..	DN15-50	Steel ball valves, reduced bore, flange-welding, PN40, EN (DIN)
105..	284 7..	DN65-300	Steel ball valves, reduced bore, flange-welding, PN16, EN (DIN)
105../25	284 7..	DN65-300	Steel ball valves, reduced bore, flange-welding, PN25, EN (DIN)
150…	281 4..	DN15-32	Steel ball valves, full bore, welding-welding, EN(DIN)
	234 4..	DN40-800	Steel ball valves, full bore, welding-welding, EN(DIN)
153…	281 5..	DN15-40	Steel ball valves, full bore, flange-flange, PN40, EN(DIN)
	235 5..	DN50-800	Steel ball valves, full bore, flange-flange, PN16, EN(DIN)
153…/25	235 5..	DN50-800	Steel ball valves, full bore, flange-flange, PN25, EN(DIN)
154…	234 4..	DN100-800	Steel ball valves, full bore with gears and actuators, welding-welding, EN (DIN)
154..1	235 5..	DN100-800	Steel ball valves, full bore with gears and actuators, flange-flange, PN16, EN (DIN)
154..1/25	235 5..	DN100-800	Steel ball valves, full bore with gears and actuators, flange-flange, PN25, EN (DIN)
120…	284 4..	DN20-150	Special purpose ball valves, branching valve, welding-welding, EN (DIN)
126…	281 4..	DN20-125	Special purpose ball valves, hot tapping valve, welding-welding, EN (DIN)
126…	281 4..	DN150-200	Special purpose ball valves, hot tapping valve, flange-welding, EN (DIN)
140…	264 4..V	DN15-300	Balancing valves, steel, welding-welding, EN(DIN)
143…	265 5..V	DN15-50	Balancing valves, steel, flange-flange, PN40, EN(DIN)
143…	265 5..V	DN65-300	Balancing valves, steel, flange-flange, PN16, EN(DIN)
143…/25	265 5..V	DN65-300	Balancing valves, steel, flange-flange, PN25, EN(DIN)
230…	286 4..	DN10-250	Stainless steel ball valves, welding-welding, EN(DIN)
230…/MM	286 3..	DN15-100	Stainless steel ball valves, welding-welding, NS-norm
231…	286 00.	DN10-50	Stainless steel ball valves, female threads-welding, EN(DIN)
231…/MM	286 30.	DN15-50	Stainless steel ball valves, female threads-welding, NS-norm

SP Sveriges Tekniska Forskningsinstitut
Box 857, 501 15 Borås
Tfn: 010-516 50 00
E-post: info@sp.se
www.sp.se

Detta certifikat får endast återges i sin helhet, om inte SP i förväg skriftligen godkänt annat.

CERTIFIKAT

Bilaga

232…	286 15.	DN10-50	Stainless steel ball valves, female threads-female threads, EN(DIN)
233…	286 5..	DN15-50	Stainless steel ball valves, flange-flange, PN40, EN(DIN)
233…	286 5..	DN65-250	Stainless steel ball valves, flange-flange, PN16, EN(DIN)
233…/25	286 5..	DN65-250	Stainless steel ball valves, flange-flange, PN25, EN(DIN)
234…	286 43.	DN100-250	Stainless steel ball valves, full bore with gears and actuators, welding-welding, EN (DIN)
234..1	286 59.	DN100-250	Stainless steel ball valves, full bore with gears and actuators, welding-welding, PN16, EN (DIN)
234..1/25	286 52.	DN100-250	Stainless steel ball valves, full bore with gears and actuators, welding-welding, PN25, EN (DIN)
240…	266 4..V	DN15-250	Balancing valves, Stainless steel, welding-welding, EN(DIN)
240…/MM	266 3..V	DN20-100	Balancing valves, Stainless steel, welding-welding, NS-norm
243…	266 5..V	DN15-50	Balancing valves, Stainless steel, flange-flange, PN40, EN(DIN)
243…	266 5..V	DN65-250	Balancing valves, Stainless steel, flange-flange, PN16, EN(DIN)
243…/25	266 5..V	DN65-250	Balancing valves, Stainless steel, flange-flange, PN25, EN(DIN)
110…	280 4..	DN10-800	Gas ball valves, reduced bore, welding-welding, EN(DIN)
111…	280 00.	DN15-50	Gas ball valves, reduced bore, female threads-welding, EN(DIN)
112…	280 15.	DN15-50	Gas ball valves, reduced bore, female threads-female threads, EN(DIN)
113…	280 5..	DN15-50	Gas ball valves, reduced bore, flange-flange, PN40, EN(DIN)
113…	280 5..	DN65-800	Gas ball valves, reduced bore, flange-flange, PN16, EN(DIN)
113…/25	280 5..	DN65-800	Gas ball valves, reduced bore, flange-flange, PN25, EN(DIN)
115…	280 70.	DN15-50	Gas ball valves, reduced bore, flange-welding, PN40, EN(DIN)
115…	280 71.	DN65-300	Gas ball valves, reduced bore, flange-welding, PN16, EN(DIN)
115…/25	280 77.	DN65-300	Gas ball valves, reduced bore, flange-welding, PN25, EN(DIN)
114…	280 4..	DN100-800	Gas ball valves, reduced bore with gears and actuators, welding-welding, EN (DIN)
114..1	280 5..	DN100-800	Gas ball valves, reduced bore with gears and actuators, flange-flange, PN16, EN (DIN)
114..1/25	280 5..	DN100-800	Gas ball valves, reduced bore with gears and actuators, flange-flange, PN25, EN (DIN)
304…	250 4..	DN15-800	Gas ball valves, full bore, welding-welding, EN(DIN)
309..	250 50.	DN15-50	Gas ball valves, full bore, flange-flange, PN40, EN(DIN)
309..	250 5..	DN65-700	Gas ball valves, full bore, flange-flange, PN16, EN(DIN)
309…/25	250 5..	DN65-800	Gas ball valves, full bore, flange-flange, PN25, EN(DIN)
170…	274 4..	DN15-250	Steam ball valves, reduced bore, welding-welding, EN(DIN)
171…	274 0..	DN15-50	Steam ball valves, reduced bore, female threads-welding, EN(DIN)
172…	274 1..	DN15-50	Steam ball valves, reduced bore, female threads-female threads, EN(DIN)
173…	274 5..	DN15-50	Steam ball valves, reduced bore, flange-flange, PN40, EN(DIN)
173…	274 5..	DN65-250	Steam ball valves, reduced bore, flange-flange, PN16, EN(DIN)
173…/25	274 5..	DN65-250	Steam ball valves, reduced bore, flange-flange, PN25, EN(DIN)
174…	274 4..	DN125-250	Steam ball valves, reduced bore with gears and actuators, welding-welding, EN (DIN)
174..1	274 53.	DN125-250	Steam ball valves, reduced bore with gears and actuators, flange-flange, PN16, EN (DIN)
174..1/25	274 59.	DN125-250	Steam ball valves, reduced bore with gears and actuators, flange-flange, PN25, EN (DIN)
107…	254… / 284…	DN25-800	Long stem ball valves, reduced bore, EN (DIN)
157…	234…	DN25-800	Long stem ball valves, full bore, EN (DIN)

SP Sveriges Tekniska Forskningsinstitut
Box 857, 501 15 Borås
Tfn: 010-516 50 00
E-post: info@sp.se
www.sp.se

Detta certifikat får endast återges i sin helhet, om inte SP i förväg skriftligen godkänt annat.